

CALLIE

Callie is a pair of trousers that are close-fitting at the top and flare out towards the bottom. The trousers feature pressed creases down the front and back of the legs. The back is shaped with waist darts. The trousers have a fly front zipper closure. The applied three-piece waistband features an extension at the center front. It closes with hooks and bars as well as an inner button and buttonhole. The upper edge of the waistband sits at the waist. The trousers are below-ankle length.

GARMENT EASE

	Waistline ease	Hipline ease
centimeters	1.5	1.5
inches	5/8	5/8

GARMENT LENGTH

Height, cm	Side seam length including waistband, cm	Height, ft	Side seam length including waistband, in
162–169	115.3–117.6	5'4"–5'7"	45 3/8–46 1/4
172–179	119.3–121.6	5'8"–5'10"	47–47 7/8

FINISHED HEM WIDTH FOR ALL HEIGHTS

EU Size	34	36	38	40	42	44	46	48	50	52
centimeters	33	34	35	36	37	38	39	40	41	42

US Size	2	4	6	8	10	12	14	16	18	20
inches	13	13 3/8	13 3/4	14 1/8	14 5/8	15	15 3/8	15 3/4	16 1/8	16 1/2

To sew these trousers, choose suiting fabrics:

- medium weight, pliable, structured, non-stretch
- the fiber content can include natural fibers, artificial fibers, blends, and synthetics.

Recommended fabrics: wool suiting, gabardine.

The trousers are made of wool suiting. The fabric is medium weight, pliable, soft, structured and non-stretch. The fiber content is a blend of polyester and wool.

FABRICS AND NOTIONS

- Main fabric, 140 cm (55") wide, in meters/yards:

Height, cm	EU Size									
	34	36	38	40	42	44	46	48	50	52
162–169	2.1	2.1	2.1	2.1	2.12	2.17	2.4	2.4	2.4	2.4
172–179	2.2	2.2	2.2	2.2	2.2	2.25	2.5	2.5	2.5	2.5

Height, ft	US Size									
	2	4	6	8	10	12	14	16	18	20
5'4"–5'7"	2 1/4	2 1/4	2 1/4	2 1/4	2 3/8	2 3/8	2 5/8	2 5/8	2 5/8	2 5/8
5'8"–5'10"	2 3/8	2 3/8	2 3/8	2 3/8	2 3/8	2 1/2	2 3/4	2 3/4	2 3/4	2 3/4

- Lightweight knit or woven interfacing, 140 cm (55") wide, for all sizes in all heights – 0.2 m (1/4 yd)
- Bias-cut fusible stay tape, 1.5 cm (5/8") wide – 3 m (3 1/4 yd)
- One button, 2 cm (3/4") in diameter
- One trouser zipper, 15 cm (5 7/8") long, for all sizes in all heights
- Two trouser hook and bar closures
- Matching thread – 5 spools

TOOLS AND EQUIPMENT

- Sewing machine
- Overlocker

STEP 1

Thread-mark the crease lines and center front lines on the front leg pieces.

Use light-colored thread in order to avoid marking the fabric during pressing and steaming.

Fully interface the following pieces:

- back waistband — 2 pieces
- right front waistband — 2 pieces
- left front waistband — 2 pieces

Partially interface the following pieces:

- fly extension on the right front leg
- seam allowance for attaching the fly shield on the left front leg
- fly shield according to the pattern markings

Apply bias-cut fusible stay tape to the following:

- top and bottom edges of the outer back waistband
- top and bottom edges of the outer right front waistband
- top and bottom edges of the outer left front waistband



STEP 2

Fold the front leg piece in half lengthwise, wrong sides together, along the crease line. Press the crease.

